



PRD N° 0171 B

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition agreements

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

A. N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories Community Identification N° 0465

Grants: Manufacturer

PEZZOL INDUSTRIES SRL VIA TRANI 107 76121 BARLETTA

EU TYPE-EXAMINATION CERTIFICATE MODULE B N° F-167-02896-19

for the following model of Personal Protective Equipment:

Design/ Article: Low shoe art. MANAUS - 169UV-02

Category of PPE: ||

Additional requirements: S3 WR HRO SRC

safety footwear for professional use according to harmonized standard (*) EN ISO 20345:2011

Picture of the basic model





First issue date: 09/09/2019

Revision date:

Expiry date: 09/09/2024

Responsabile Business Unit Paola Crespi

EU Type-Examination Certificate n. F-167-02896-19 of 9/09/2019 - Page: 1 of 3 2019\1889-3

CF e PIVA 07199040150 – REG. Imprese n° 229059 Trib. Di Milano – REA n° 1147818 Tel. 0381.84722 – Fax. 0381.73393 – email: info@cimac.it – web: www.cimac.it Sede Legale: Via Alberto Riva Villasanta, 3 20145 Milano - ITALY

Sede Operativa: Via Aguzzafame, 60/b 27029 Vigevano (PV) - ITALY





RD N° 0171 R

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition agreements

Manufacturer's identification mark:

PEZZOL

Classification:

I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

Size range:

from 36 to 47 (french point)

Identification of last:

--

Manufacturing process:

Injection

The footwear has a:

non-metallic toecap cod PZ88 - Contender non-metallic penetration-resistant cod KNOX (TEXON)

insert

removable insock cod SPTYREESD

Additional requirements:

heel area closed;

A antistatic properties;

E energy absorption of seat region;

WRU water resistant upper WR water resistance

P penetration resistance of sole complex; HRO resistance to hot contact of the outsole;

FO fuel oil resistant outsole;

cleated outsole.

Test Reports:

The results of tests and examinations are contained in the following test reports:

CIMAC	RP 2019/1889-03-RP-2	dated	09/09/2019
PFI	RP 1904760-05-00-01	dated	13/06/2019
PFI	RP 1905713-03-00-01	dated	12/07/2019
CIMAC	RP 2017/1026-03-RP-2	dated	15/05/2017
PFI	RP 1809495-13-00-01	dated	03/12/2018
PFI	RP 1903361-01-00-01	dated	02/05/2019
PFI	RP 1307396-01-00-01a	dated	09/09/2013
RICOTEST	RP 321635	dated	24/04/2013
INESCOP	RP C-14042051	dated	30/04/2014
INTERTEK	RP LECFI00344851	dated	06/10/2014
CIMAC	RP 2019/2449-45-RP-1	dated	06/09/2019
CIMAC	RP 2019/2449-10-RP-1	dated	06/09/2019
CIMAC	RP 2019/2449-31-RP-1	dated	06/09/2019

EU Type-Examination Certificate n. F-167-02896-19 of 9/09/2019 - Page: 2 of 3 2019\1889-3





PRD N° 0171 B

Membro degli accordi di mutuo riconoscimento EA, IAF e ILAC Signatory of EA, IAF, ILAC Mutual Recognition

Marking



Name and postal address of the Manufacturer manufacturer's type designation the number and year of the reference European standard Category and additional requirements of the PPE Month and year of fabrication Size

Batch number



(*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal.

The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.

All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".

This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.

Reference to informative note

EU Type-Examination Certificate n. F-167-02896-19 of 9/09/2019 - Page: 3 of 3 2019\1889-3